PRUDENCE mean 2-meter temperature change: CNRM

$(DE9)_{2071–2100}$ compared to $(DA9)_{1961–1990}$

A2 scenario



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature change: CNRM

(DC9)$_{2071–2100}$ compared to (DA9)$_{1961–1990}$ *B2 scenario*



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature change: SMHI

$(MPIA2)_{2071–2100}$ compared to $(MPICTL)_{1961–1990}$ *A2 scenario*



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature change: SMHI

$(\text{MPIB2})_{2071–2100}$ compared to $(\text{MPICTL})_{1961–1990}$ *B2 scenario*



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature change: HC

(adhfa)$_{2071–2100}$ compared to (adeha)$_{1961–1990}$ *A2 scenario*



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature change: HC

(adhfe)$_{2071–2100}$ compared to (adehb)$_{1961–1990}$ *A2 scenario*



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature change: HC

$(adhff)_{2071–2100}$ compared to $(adehc)_{1961–1990}$ *A2 scenario*



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature change: HC

(adhfd)$_{2071–2100}$ compared to (adeha)$_{1961–1990}$ *B2 scenario*



prudence_t2m_stats_change.ps

PRUDENCE mean 2-meter temperature: HC

ensemble

A2 scenario



prudence_t2m_stats_change.ps